

TOP SECRET from EASYRIG



The Easyrig STABIL is the newest upgrade to the Easyrig system that allows smooth, stabilized camera operation while being a comfortable, ergonomic filmmaking experience.

The Easyrig STABIL smooths out your shots while walking, whether it is with a gimbal or going handheld. It can take camera setup weights from 5-25kg (11-55 lbs).

The upper arm is adjustable, allowing you to decide how far in front of your body you want your camera setup to be (26cm / 10").

The Easyrig STABIL can be mounted onto the Cinema 3 and Vario 5.

Designed and made in Sweden

Cheese Plate for Sony Venice camera

The Sony Venice camera can now be attached to the upper arm of your **Easyrig**. By doing this you'll only need to attach the lens to the **Easyrig** camera hook.

Includes two 3/8" screws.




The **EASYRIG 3 Cinema** comes with two shoulder straps and carrying system that grips firmly to your body.

The maximum load on the **EASYRIG 3 Cinema** is 25 kg (55 lbs) with the 1200 N gas shock absorber.

Can be ordered with:

- Standard arm
- 130 mm (5") adjustable arm
- 230 mm (9") adjustable arm
- STABIL adjustable arm 265 mm (10")



Now with Swing Stop



Easyrig





Easyrig Vario 5

Now with Swing Stop
Limits upper arm rotation

The EASYRIG VARIO 5 has an adjustable weight range from 5-17kg (11-38 lbs),
The EASYRIG VARIO 5 STRONG: weight range 10-25kg (22-55 lbs)
You can easily change the tension / power of the line.

The EASYRIG VARIO 5 gives you the same advantages as our other Easyrig models with the added benefit of being able to adjust the line tension to adapt to many different cameras and configurations. The EASYRIG VARIO 5 still delivers the same steady hand held shots while relieving strain on your back, neck and shoulders. The load is redistributed to the hips allowing you to shoot hand held in comfort for hours.

THE EASYRIG VARIO 5 can be ordered with several different vest options:

- Cinema 3 double shoulder vest
- Gimbal Rig vest
- Cinema Flex vest
- Gimbal Flex vest

You can also order your EASYRIG VARIO 5 with four different arm options:

- Standard arm
- 130 mm (5") adjustable arm
- 230 mm (9") adjustable arm
- STABIL adjustable arm 265 mm (10")

Patented

