

TOP SECRET from EASYRIG



Easyrig STABIL G2 together with EasyTilt makes it possible to tilt the gimbal back and forth. The new upgraded STABIL G2 is foldable for easier travel and can be locked in 90 degrees without jittering.

The Easyrig STABIL G2 is the newest upgrade to the Easyrig system that allows smooth, stabilized camera operation while being a comfortable, ergonomic filmmaking experience. It can stabilize camera setups between 5-25 kg (11-55 lbs).

The line-exit is adjustable, meaning you can shoot with a gimbal or from your shoulder.

The Easyrig STABIL G2 can be mounted onto the Cinema 3 and Vario 5.

Designed and made in Sweden

Accessories



Umbrella with Holder



Quick Release



Hanger for STABIL



Cover for STABIL



Hook w/ ball stud




Cheese Plate

The **EASYRIG 3 Cinema** comes with two shoulder straps and carrying system that grips firmly to your body.

The maximum load on the **EASYRIG 3 Cinema** is 25 kg (55 lbs) with the 1000 N gas shock absorber.

Can be ordered with:

- Standard arm
- 130 mm (5") adjustable arm
- 230 mm (9") adjustable arm
- STABIL adjustable arm 265 mm (10")



Easyrig Vario 5



The EASYRIG VARIO 5 has an adjustable weight range from 5-17kg (11-38 lbs),
The EASYRIG VARIO 5 STRONG: weight range 10-25kg (22-55 lbs)
You can easily change the tension / power of the line.

The EASYRIG VARIO 5 gives you the same advantages as our other Easyrig models with the added benefit of being able to adjust the line tension to adapt to many different cameras and configurations. The EASYRIG VARIO 5 still delivers the same steady hand held shots while relieving strain on your back, neck and shoulders. The load is redistributed to the hips allowing you to shoot hand held in comfort for hours.

THE EASYRIG VARIO 5 can be ordered with several different vest options:

- Cinema vest
- Gimbal Rig vest
- Cinema Flex vest
- Gimbal Flex vest

You can also order your EASYRIG VARIO 5 with four different arm options:

- Standard arm
- 130 mm (5") adjustable arm
- 230 mm (9") adjustable arm
- STABIL adjustable arm 265 mm (10")

Patented

